





Open, Close, Live



Premium kit for
frameless doors










Patented

Easy, solid
and precise
installation




INTRODUCTION

Raso 90

RA
SC⁹⁰

Raso 90, the new frame for 44 mm frameless swinging doors, which allows for an **easy, solid** and **precise** installation.

The main element is the revolutionary **patented** corner bracket that allows 90° coupling of the profiles and replaces the usual 45° frame cut.





ADVANTAGES *of the frame*



EASY ASSEMBLY

Joining the components of **Raso 90** kit becomes immediate, much easier and more intuitive. Once the frame components are coupled together, the result is a **solid** monolith bearing any type of stress.

Sturdy metric screws can be tightened with a simple screwdriver and allow for the complete fusion of the jambs with the transom through the solid joint bracket.



ONE SYSTEM, MULTIPLE CONFIGURATIONS

The frame section is designed for maximum versatility: it is suitable for both pull and push sash configurations.



SPACE-SAVING

In addition to its outstanding performance, this coupling system offers **versatile** and efficient store management.

In fact, **Raso 90** comes completely disassembled, making it leaner and easier to transport to the construction site.





AESTHETICS AND DESIGN

Minimalism and clean lines guarantee a design that satisfies even the most discerning eye. Available in two finishes: **Anodized Silver** (01) and **Matt White** (FM), developed to harmonise with all styles. For special creations, the frame can be completely painted.


The end result is a perfectly coplanar system that integrates with every style and architecture.



01. Anodized Silver



FM. White



CUSTOMIZATION

Raso 90 allows for customisation in terms of size and aesthetics. It integrates perfectly with walls to the point of becoming invisible.


The frame is supplied in standard sizes that can be trimmed with a simple perpendicular cut, avoiding complicated 45° cuts.



MATCHING ACCESSORIES

Raso 90 includes all the components needed to **preserve the frame** during work on site and to ensure **convenient installation** on both drywall and masonry walls.

A range of matching accessories is available, from Eclipse concealed hinges to a range of locks and strikers, which can be perfectly integrated with the **Raso 90** kit.



COMPOSITION *of the frame*



ELEMENTS OF THE SYSTEM

Raso 90 is the kit par excellence in the world of frameless doors. Every single component is studied down to the smallest detail to ensure maximum efficiency and a system that is complete in all stages of processing and mounting on wall.



INSTALLATION


on masonry




Raso 90 frame is easily installed on masonry walls in pull or push configurations depending on how you orient it. It is anchored by means of a clamp previously fixed to the frame with two self-drilling screws supplied in the kit.

Finally, the whole is embedded in concrete within the masonry, ensuring a solid fusion between the elements.






PUSH APPLICATION



PULL APPLICATION



INSTALLATION


on drywall




Raso 90 frame is easily installed on drywalls in pull or push configurations depending on how you orient it. It is anchored by means of a clamp previously fixed to the frame with two self-drilling screws supplied in the kit.

The clamp is unique and reversible, so it can be used for both pull and push doors, depending on how you orient it.






PUSH APPLICATION



PULL APPLICATION



APPLICATION *of the frame*



THE DETAILS THAT MAKE THE DIFFERENCE

Raso 90 leaves nothing to chance. In fact, it is equipped with components that guarantee the solidity and integrity of the frame during all phases of installation and wall levelling.

Protections and covers are essential for excellent installation.



Accessories kit



Net kit
(optional)



Complements **Raso 90**

WAVE

series



Wave is the first handle that creates a continuity of shape both for swinging and sliding doors, which have been always very different one from the other: Wave allows the transversality of the handle on all doors of a house!

AVAILABLE FINISHES



93 FM 01 32

- 93 Black
- FM White
- 01 Anodised silver
- 32 Satin chromium plated





POLARIS

series



01.

02.

01. POLARIS 2XT

Magnetic movement lock. It is particularly suitable for modern internal doors, thanks to its lean look design. Polaris 2XT is distinguished by the extraordinary silent closing and the precision in mechanical couplings that give a pleasant feeling of fluidity in the handle and key movements.

02. ALUTOP XT

Striker for aluminium doors.
Alutop is interchangeable with Alu-Touch.

AVAILABLE FINISHES



93


FM

34

93	Black
FM	White
34	Matt chromium plated



TOUCH *series*



01.

02.

03.

01. TOUCH

Patented contactless magnetic door catcher: the catching force can be adjusted and guaranteed, no matter the distance between sash and frame.

02. TOUCH & CLOSE


Protect the privacy of your room with Touch & Close: all the advantages of the magnetic catcher, plus the possibility of closing the door with the lock.

Touch & Close is available in versions with bathroom lock and European profile cylinder.

03. ALU-TOUCH

Striker for aluminium doors. Alu-Touch is interchangeable with Alutop XT. When the striker is used with Touch & Close, remove the cap.

AVAILABLE FINISHES



93 34 FM

78	Matt chromium plated
93	Matt black
FM	Matt white




ECLIPSE


series



01.



02.



03.

01. ECLIPSE 3.0

Concealed hinge for flush doors with or without rebate.

Suitable for aluminium frames, thanks to the 4 mm thickness of hinge fastening. **Completely invisible thanks to its reduced dimensions.** Easy installation and covers with coverplate. Suitable for fire doors.

02. ECLIPSE 3.2 and ECLIPSE 3.2 HD


Concealed hinge for flush door with or without rebate and for aluminium doors, thanks to the 4 mm fastening thickness of hinge. **Also available with steel levers for heavy sashes.** Suitable for applications with overhead door closer and door stop to the ground.

03. ECLIPSE 3.2 HD SELF

Concealed hinge with integrated closing system with spring Eclipse 3.2 HD Self is reversible with frame part reduced to 21 mm.

Same millings of the Eclipse 3.2 range plus the milling for the spring body.

AVAILABLE FINISHES



03



06



22



34



91




93

03	Brass plated PVD
06	Nickel plated PVD
22	Enamelled bronze plated
34	Matt chromium plated
91	White
93	Matt black



The products described here
are entirely made in Italy.
Concept, design, manufacturing
and packaging take place
exclusively in Italy, in AGB sites.

100% MADE IN ITALY





Open, Close, Live

Alban Giacomo SpA
Via A. De Gasperi, 75
36060 Romano d'Ezzelino (VI) Italy
+39 0424 832 832
www.agb.it - info@agb.it

MADE IN ITALY

