

# domio bit



**AGB**<sup>®</sup>  
HOSPITALITY



### You choose the handle.

No limits to brand and finish,  
Bit leaves full freedom.



## Smart electronic locks

### Design

There are only two elements on the door:  
antenna on the outside and battery holder on  
the inside, both inspired by Italian minimal design.  
Finishes are customisable and any kind of handle  
can be combined.

### Sturdiness


Domia Bit is a secure, robust and CE-certified  
lock with rigorous testing.  
It is tested according to the most rigorous  
standards. A system born from the genius and  
excellence of Italian design.

### Easy to use


To open simply bring the card close to the  
antenna, located just below the handle.  
With a single credential you can open all the doors  
to which you have access.

### Security

Just close the door to lock it: latch and bolt  
automatically enter the frame. The panic exit lock is  
designed to meet the highest security standards.



## Personalised cover, lots of finishes to choose from!



B1.  
Glossy white,  
Nickel plated



B2.  
Glossy white,  
Matt chromium plated



B3.  
Glossy white,  
Brass plated



B4.  
Glossy black,  
Nickel plated



B5.  
Glossy black,  
Matt chromium plated



B6.  
Glossy black,  
Brass plated



C4.  
Matt black,  
Matt chromium plated



B7.  
Matt chromium plated,  
Nickel plated



B9.  
Antique brass plated,  
Brass plated




C1.  
Brown RAL 8019,  
Matt chromium plated




C2.  
Brown RAL 8019,  
Brass plated

# Technical data


## BIT LOCK




## BIT STRIKER



## CORRIDOR SIDE DEVICE



## ROOM SIDE DEVICE



(\*) Free choice of the handle

## Technical features

- Intended use: electronic access control system without wiring, contactless, battery powered, installation on doors for indoor applications.
- Electronic "Do Not Disturb" function via button.
- Suitable for installation on doors with a thickness of 35 mm to 120 mm.
- Handle rotation 45°.
- Mechanical panic exit lock with handle latch and automatic deadbolt. Backset 70 mm and interaxis 85 mm.
- Hub: 8 mm.
- Battery power supply: 3 x AA.
- Compatibility with credentials: RFID 13.56 Mhz, NFC, BLE.
- Remote opening: on Accexi platform.
- Operating temperature: -10° to +70°.
- Data encryption: AES 128 bit.
- Number of operations in memory (offline versions): 2600.
- Emergency opening with mechanical cylinder.
- Available in 11 different finishes, with additional customisation options.
- Option to use other handles of your choice.